

HAM-LET MONEL[®] NICKEL-COPPER ALLOY 400/R-405 CONNECTORS



© Monel is a trademark of
Special Metals Corp.














MONEL® NICKEL-COPPER ALLOY 400/R-405 **LET-LOK TUBE FITTINGS**

ALLOY 400/R-405 CONNECTORS






Monel® nickel-copper alloy 400 is a solid-solution alloy that can be hardened only by cold working. It has high strength and endurance over a wide temperature range and excellent resistance to many corrosive environments. Alloy 400 is widely used in many fields, especially marine and chemical processing.

MONEL® MATERIAL STD	
Barstock	Forging
ASTM B 164	ASTM B 564

<p>760LB - Back Ferrule*</p>  <table border="1"> <thead> <tr> <th>Ordering Info.</th> <th>Tube O.D. in</th> </tr> </thead> <tbody> <tr> <td>760LB M 1/4</td> <td>1/4</td> </tr> <tr> <td>760LB M 3/8</td> <td>3/8</td> </tr> <tr> <td>760LB M 1/2</td> <td>1/2</td> </tr> </tbody> </table>	Ordering Info.	Tube O.D. in	760LB M 1/4	1/4	760LB M 3/8	3/8	760LB M 1/2	1/2	<p>760LF - Front Ferrule*</p>  <table border="1"> <thead> <tr> <th>Ordering Info.</th> <th>Tube O.D. in</th> </tr> </thead> <tbody> <tr> <td>760LF M 1/4</td> <td>1/4</td> </tr> <tr> <td>760LF M 3/8</td> <td>3/8</td> </tr> <tr> <td>760LF M 1/2</td> <td>1/2</td> </tr> </tbody> </table>	Ordering Info.	Tube O.D. in	760LF M 1/4	1/4	760LF M 3/8	3/8	760LF M 1/2	1/2	<p>761L - Nut</p>  <table border="1"> <thead> <tr> <th>Ordering Info.</th> <th>Tube O.D. in</th> </tr> </thead> <tbody> <tr> <td>761L M 1/4</td> <td>1/4</td> </tr> <tr> <td>761L M 3/8</td> <td>3/8</td> </tr> <tr> <td>761L M 1/2</td> <td>1/2</td> </tr> </tbody> </table>	Ordering Info.	Tube O.D. in	761L M 1/4	1/4	761L M 3/8	3/8	761L M 1/2	1/2	<p>762L - Union</p>  <table border="1"> <thead> <tr> <th>Ordering Info.</th> <th>Tube O.D. in</th> </tr> </thead> <tbody> <tr> <td>762L M 1/4</td> <td>1/4</td> </tr> <tr> <td>762L M 3/8</td> <td>3/8</td> </tr> <tr> <td>762L M 1/2</td> <td>1/2</td> </tr> </tbody> </table>	Ordering Info.	Tube O.D. in	762L M 1/4	1/4	762L M 3/8	3/8	762L M 1/2	1/2													
Ordering Info.	Tube O.D. in																																															
760LB M 1/4	1/4																																															
760LB M 3/8	3/8																																															
760LB M 1/2	1/2																																															
Ordering Info.	Tube O.D. in																																															
760LF M 1/4	1/4																																															
760LF M 3/8	3/8																																															
760LF M 1/2	1/2																																															
Ordering Info.	Tube O.D. in																																															
761L M 1/4	1/4																																															
761L M 3/8	3/8																																															
761L M 1/2	1/2																																															
Ordering Info.	Tube O.D. in																																															
762L M 1/4	1/4																																															
762L M 3/8	3/8																																															
762L M 1/2	1/2																																															
<p>764L - Union Tee</p>  <table border="1"> <thead> <tr> <th>Ordering Info.</th> <th>Tube O.D. in</th> </tr> </thead> <tbody> <tr> <td>764L M 1/4</td> <td>1/4</td> </tr> <tr> <td>764L M 3/8</td> <td>3/8</td> </tr> <tr> <td>764L M 1/2</td> <td>1/2</td> </tr> </tbody> </table>	Ordering Info.	Tube O.D. in	764L M 1/4	1/4	764L M 3/8	3/8	764L M 1/2	1/2	<p>765L - Union Elbow</p>  <table border="1"> <thead> <tr> <th>Ordering Info.</th> <th>Tube O.D. in</th> </tr> </thead> <tbody> <tr> <td>765L M 1/4</td> <td>1/4</td> </tr> <tr> <td>765L M 3/8</td> <td>3/8</td> </tr> <tr> <td>765L M 1/2</td> <td>1/2</td> </tr> </tbody> </table>	Ordering Info.	Tube O.D. in	765L M 1/4	1/4	765L M 3/8	3/8	765L M 1/2	1/2	<p>767LP - Port Connector</p>  <table border="1"> <thead> <tr> <th>Ordering Info.</th> <th>Tube O.D. in</th> </tr> </thead> <tbody> <tr> <td>767LP M 1/4</td> <td>1/4</td> </tr> <tr> <td>767LP M 3/8</td> <td>3/8</td> </tr> <tr> <td>767LP M 1/2</td> <td>1/2</td> </tr> </tbody> </table>	Ordering Info.	Tube O.D. in	767LP M 1/4	1/4	767LP M 3/8	3/8	767LP M 1/2	1/2	<p>7108L - Cap</p>  <table border="1"> <thead> <tr> <th>Ordering Info.</th> <th>Tube O.D. in</th> </tr> </thead> <tbody> <tr> <td>7108L M 1/4</td> <td>1/4</td> </tr> <tr> <td>7108L M 3/8</td> <td>3/8</td> </tr> <tr> <td>7108L M 1/2</td> <td>1/2</td> </tr> </tbody> </table>	Ordering Info.	Tube O.D. in	7108L M 1/4	1/4	7108L M 3/8	3/8	7108L M 1/2	1/2													
Ordering Info.	Tube O.D. in																																															
764L M 1/4	1/4																																															
764L M 3/8	3/8																																															
764L M 1/2	1/2																																															
Ordering Info.	Tube O.D. in																																															
765L M 1/4	1/4																																															
765L M 3/8	3/8																																															
765L M 1/2	1/2																																															
Ordering Info.	Tube O.D. in																																															
767LP M 1/4	1/4																																															
767LP M 3/8	3/8																																															
767LP M 1/2	1/2																																															
Ordering Info.	Tube O.D. in																																															
7108L M 1/4	1/4																																															
7108L M 3/8	3/8																																															
7108L M 1/2	1/2																																															
<p>774L - Bulkhead Union</p>  <table border="1"> <thead> <tr> <th>Ordering Info.</th> <th>Tube O.D. in</th> </tr> </thead> <tbody> <tr> <td>774L M 1/4</td> <td>1/4</td> </tr> <tr> <td>774L M 3/8</td> <td>3/8</td> </tr> </tbody> </table>	Ordering Info.	Tube O.D. in	774L M 1/4	1/4	774L M 3/8	3/8	<p>7121L - Plug</p>  <table border="1"> <thead> <tr> <th>Ordering Info.</th> <th>Tube O.D. in</th> </tr> </thead> <tbody> <tr> <td>7121L M 1/4</td> <td>1/4</td> </tr> <tr> <td>7121L M 3/8</td> <td>3/8</td> </tr> <tr> <td>7121L M 1/2</td> <td>1/2</td> </tr> </tbody> </table>	Ordering Info.	Tube O.D. in	7121L M 1/4	1/4	7121L M 3/8	3/8	7121L M 1/2	1/2	<p>767LT - Reducer</p>  <table border="1"> <thead> <tr> <th rowspan="2">Ordering Info.</th> <th>Tube O.D.</th> <th>Tube O.D.</th> </tr> <tr> <th>in</th> <th>in</th> </tr> </thead> <tbody> <tr> <td>767LT M 1/4 x 1/4</td> <td>1/4</td> <td>1/4</td> </tr> <tr> <td>767LT M 1/4 x 3/8</td> <td>1/4</td> <td>3/8</td> </tr> <tr> <td>767LT M 1/4 x 1/2</td> <td>1/4</td> <td>1/2</td> </tr> <tr> <td>767LT M 3/8 x 1/4</td> <td>3/8</td> <td>1/4</td> </tr> <tr> <td>767LT M 3/8 x 3/8</td> <td>3/8</td> <td>3/8</td> </tr> <tr> <td>767LT M 3/8 x 1/2</td> <td>3/8</td> <td>1/2</td> </tr> <tr> <td>767LT M 1/2 x 1/4</td> <td>1/2</td> <td>1/4</td> </tr> <tr> <td>767LT M 1/2 x 3/8</td> <td>1/2</td> <td>3/8</td> </tr> <tr> <td>767LT M 1/2 x 1/2</td> <td>1/2</td> <td>1/2</td> </tr> </tbody> </table>	Ordering Info.	Tube O.D.	Tube O.D.	in	in	767LT M 1/4 x 1/4	1/4	1/4	767LT M 1/4 x 3/8	1/4	3/8	767LT M 1/4 x 1/2	1/4	1/2	767LT M 3/8 x 1/4	3/8	1/4	767LT M 3/8 x 3/8	3/8	3/8	767LT M 3/8 x 1/2	3/8	1/2	767LT M 1/2 x 1/4	1/2	1/4	767LT M 1/2 x 3/8	1/2	3/8	767LT M 1/2 x 1/2	1/2	1/2
Ordering Info.	Tube O.D. in																																															
774L M 1/4	1/4																																															
774L M 3/8	3/8																																															
Ordering Info.	Tube O.D. in																																															
7121L M 1/4	1/4																																															
7121L M 3/8	3/8																																															
7121L M 1/2	1/2																																															
Ordering Info.	Tube O.D.	Tube O.D.																																														
	in	in																																														
767LT M 1/4 x 1/4	1/4	1/4																																														
767LT M 1/4 x 3/8	1/4	3/8																																														
767LT M 1/4 x 1/2	1/4	1/2																																														
767LT M 3/8 x 1/4	3/8	1/4																																														
767LT M 3/8 x 3/8	3/8	3/8																																														
767LT M 3/8 x 1/2	3/8	1/2																																														
767LT M 1/2 x 1/4	1/2	1/4																																														
767LT M 1/2 x 3/8	1/2	3/8																																														
767LT M 1/2 x 1/2	1/2	1/2																																														

* All LET-LOK ferrules are available as sets.

Dimensions are for reference only, and are subject to change without notice.

769L - Male Elbow  <table border="1"> <thead> <tr> <th>Ordering Info.</th> <th>Tube O.D. in</th> <th>Male pipe size in</th> </tr> </thead> <tbody> <tr> <td>769L M 1/4 x 1/4</td> <td>1/4</td> <td>1/4</td> </tr> <tr> <td>769L M 3/8 x 1/4</td> <td>3/8</td> <td>1/4</td> </tr> <tr> <td>769L M 1/2 x 1/2</td> <td>1/2</td> <td>1/2</td> </tr> </tbody> </table>				Ordering Info.	Tube O.D. in	Male pipe size in	769L M 1/4 x 1/4	1/4	1/4	769L M 3/8 x 1/4	3/8	1/4	769L M 1/2 x 1/2	1/2	1/2	766L - Female Connector  <table border="1"> <thead> <tr> <th>Ordering Info.</th> <th>Tube O.D. in</th> <th>Female pipe size in</th> </tr> </thead> <tbody> <tr> <td>766L M 1/4 x 1/4</td> <td>1/4</td> <td>1/4</td> </tr> <tr> <td>766L M 3/8 x 1/4</td> <td>3/8</td> <td>1/4</td> </tr> </tbody> </table>				Ordering Info.	Tube O.D. in	Female pipe size in	766L M 1/4 x 1/4	1/4	1/4	766L M 3/8 x 1/4	3/8	1/4																																							
Ordering Info.	Tube O.D. in	Male pipe size in																																																																	
769L M 1/4 x 1/4	1/4	1/4																																																																	
769L M 3/8 x 1/4	3/8	1/4																																																																	
769L M 1/2 x 1/2	1/2	1/2																																																																	
Ordering Info.	Tube O.D. in	Female pipe size in																																																																	
766L M 1/4 x 1/4	1/4	1/4																																																																	
766L M 3/8 x 1/4	3/8	1/4																																																																	
739LF - Female Adapter  <table border="1"> <thead> <tr> <th>Ordering Info.</th> <th>Tube O.D. in</th> <th>Female pipe size in</th> </tr> </thead> <tbody> <tr> <td>739LF M 1/4 x 1/8</td> <td>1/4</td> <td>1/8</td> </tr> <tr> <td>739LF M 1/4 x 1/4</td> <td>1/4</td> <td>1/4</td> </tr> <tr> <td>739LF M 1/4 x 1/2</td> <td>1/4</td> <td>1/2</td> </tr> <tr> <td>739LF M 3/8 x 1/4</td> <td>3/8</td> <td>1/4</td> </tr> <tr> <td>739LF M 3/8 x 1/2</td> <td>3/8</td> <td>1/2</td> </tr> <tr> <td>739LF M 1/2 x 1/4</td> <td>1/2</td> <td>1/4</td> </tr> <tr> <td>739LF M 1/2 x 1/2</td> <td>1/2</td> <td>1/2</td> </tr> </tbody> </table>				Ordering Info.	Tube O.D. in	Female pipe size in	739LF M 1/4 x 1/8	1/4	1/8	739LF M 1/4 x 1/4	1/4	1/4	739LF M 1/4 x 1/2	1/4	1/2	739LF M 3/8 x 1/4	3/8	1/4	739LF M 3/8 x 1/2	3/8	1/2	739LF M 1/2 x 1/4	1/2	1/4	739LF M 1/2 x 1/2	1/2	1/2	768L - Male Connector  <table border="1"> <thead> <tr> <th>Ordering Info.</th> <th>Tube O.D. in</th> <th>Male pipe size in</th> </tr> </thead> <tbody> <tr> <td>768L M 1/4 x 1/8</td> <td>1/4</td> <td>1/8</td> </tr> <tr> <td>768L M 1/4 x 1/4</td> <td>1/4</td> <td>1/4</td> </tr> <tr> <td>768L M 1/4 x 3/8</td> <td>1/4</td> <td>3/8</td> </tr> <tr> <td>768L M 1/4 x 1/2</td> <td>1/4</td> <td>1/2</td> </tr> <tr> <td>768L M 3/8 x 1/4</td> <td>3/8</td> <td>1/4</td> </tr> <tr> <td>768L M 3/8 x 3/8</td> <td>3/8</td> <td>3/8</td> </tr> <tr> <td>768L M 3/8 x 1/2</td> <td>3/8</td> <td>1/2</td> </tr> <tr> <td>768L M 1/2 x 1/4</td> <td>1/2</td> <td>1/4</td> </tr> <tr> <td>768L M 1/2 x 3/8</td> <td>1/2</td> <td>3/8</td> </tr> <tr> <td>768L M 1/2 x 1/2</td> <td>1/2</td> <td>1/2</td> </tr> <tr> <td>768L M 1/2 x 3/4</td> <td>1/2</td> <td>3/4</td> </tr> </tbody> </table>				Ordering Info.	Tube O.D. in	Male pipe size in	768L M 1/4 x 1/8	1/4	1/8	768L M 1/4 x 1/4	1/4	1/4	768L M 1/4 x 3/8	1/4	3/8	768L M 1/4 x 1/2	1/4	1/2	768L M 3/8 x 1/4	3/8	1/4	768L M 3/8 x 3/8	3/8	3/8	768L M 3/8 x 1/2	3/8	1/2	768L M 1/2 x 1/4	1/2	1/4	768L M 1/2 x 3/8	1/2	3/8	768L M 1/2 x 1/2	1/2	1/2	768L M 1/2 x 3/4	1/2	3/4
Ordering Info.	Tube O.D. in	Female pipe size in																																																																	
739LF M 1/4 x 1/8	1/4	1/8																																																																	
739LF M 1/4 x 1/4	1/4	1/4																																																																	
739LF M 1/4 x 1/2	1/4	1/2																																																																	
739LF M 3/8 x 1/4	3/8	1/4																																																																	
739LF M 3/8 x 1/2	3/8	1/2																																																																	
739LF M 1/2 x 1/4	1/2	1/4																																																																	
739LF M 1/2 x 1/2	1/2	1/2																																																																	
Ordering Info.	Tube O.D. in	Male pipe size in																																																																	
768L M 1/4 x 1/8	1/4	1/8																																																																	
768L M 1/4 x 1/4	1/4	1/4																																																																	
768L M 1/4 x 3/8	1/4	3/8																																																																	
768L M 1/4 x 1/2	1/4	1/2																																																																	
768L M 3/8 x 1/4	3/8	1/4																																																																	
768L M 3/8 x 3/8	3/8	3/8																																																																	
768L M 3/8 x 1/2	3/8	1/2																																																																	
768L M 1/2 x 1/4	1/2	1/4																																																																	
768L M 1/2 x 3/8	1/2	3/8																																																																	
768L M 1/2 x 1/2	1/2	1/2																																																																	
768L M 1/2 x 3/4	1/2	3/4																																																																	
739LM - Male Adapter  <table border="1"> <thead> <tr> <th>Ordering Info.</th> <th>Tube O.D. in</th> <th>Male pipe size in</th> </tr> </thead> <tbody> <tr> <td>739LM M 1/4 x 1/8</td> <td>1/4</td> <td>1/8</td> </tr> <tr> <td>739LM M 1/4 x 1/4</td> <td>1/4</td> <td>1/4</td> </tr> <tr> <td>739LM M 1/4 x 1/2</td> <td>1/4</td> <td>1/2</td> </tr> <tr> <td>739LM M 3/8 x 1/4</td> <td>3/8</td> <td>1/4</td> </tr> <tr> <td>739LM M 3/8 x 1/2</td> <td>3/8</td> <td>1/2</td> </tr> <tr> <td>739LM M 1/2 x 1/4</td> <td>1/2</td> <td>1/4</td> </tr> <tr> <td>739LM M 1/2 x 1/2</td> <td>1/2</td> <td>1/2</td> </tr> </tbody> </table>				Ordering Info.	Tube O.D. in	Male pipe size in	739LM M 1/4 x 1/8	1/4	1/8	739LM M 1/4 x 1/4	1/4	1/4	739LM M 1/4 x 1/2	1/4	1/2	739LM M 3/8 x 1/4	3/8	1/4	739LM M 3/8 x 1/2	3/8	1/2	739LM M 1/2 x 1/4	1/2	1/4	739LM M 1/2 x 1/2	1/2	1/2	LET-LOK TUBING DATA FOR ALLOY 400 Alloy 400 tubes should be ordered according to ASTM B-165. Hydraulic tubing is suitable for flaring and bending. Tubing should be seamless and annealed. Hardness: 75 HRB maximum. <table border="1"> <thead> <tr> <th>Tube O.D. In</th> <th>0.028</th> <th>0.035</th> <th>0.049</th> <th>0.065</th> <th>0.083</th> <th>0.095</th> <th>0.109</th> <th>0.120</th> </tr> </thead> <tbody> <tr> <td>1/4</td> <td>3700</td> <td>4800</td> <td>7000</td> <td>9500</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>3/8</td> <td></td> <td>3100</td> <td>4400</td> <td>6100</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>1/2</td> <td></td> <td>2300</td> <td>3200</td> <td>4400</td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table> Allowable working pressure in psig at -20° to 100°F (-28° to 37°C)				Tube O.D. In	0.028	0.035	0.049	0.065	0.083	0.095	0.109	0.120	1/4	3700	4800	7000	9500					3/8		3100	4400	6100					1/2		2300	3200	4400				
Ordering Info.	Tube O.D. in	Male pipe size in																																																																	
739LM M 1/4 x 1/8	1/4	1/8																																																																	
739LM M 1/4 x 1/4	1/4	1/4																																																																	
739LM M 1/4 x 1/2	1/4	1/2																																																																	
739LM M 3/8 x 1/4	3/8	1/4																																																																	
739LM M 3/8 x 1/2	3/8	1/2																																																																	
739LM M 1/2 x 1/4	1/2	1/4																																																																	
739LM M 1/2 x 1/2	1/2	1/2																																																																	
Tube O.D. In	0.028	0.035	0.049	0.065	0.083	0.095	0.109	0.120																																																											
1/4	3700	4800	7000	9500																																																															
3/8		3100	4400	6100																																																															
1/2		2300	3200	4400																																																															
Dimensions are for reference only, and are subject to change without notice.				GAS APPLICATION TUBING <table border="1"> <thead> <tr> <th>Tube O.D. In</th> <th>Min. Nominal wall thickness</th> </tr> </thead> <tbody> <tr> <td>1/2</td> <td>0.035</td> </tr> </tbody> </table>				Tube O.D. In	Min. Nominal wall thickness	1/2	0.035																																																								
Tube O.D. In	Min. Nominal wall thickness																																																																		
1/2	0.035																																																																		